



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent 4,224,946
Issued: September 30, 1980

#22

Assignee: American Cyanamid Company
Inventor: Donald S. Kaplan Group: 120

Serial No.: 933,224 Director:
Filed: August 14, 1978 Charles E. Van Horn

Title: SURGICAL SUTURES DERIVED
FROM SEGMENTED POLYETHER-
ESTER BLOCK COPOLYMERS

Hon. Commissioner of Patents
and Trademarks

May 9, 1986

Washington, D. C. 20231

S i r:

Correspondence Relating To An Application For
Extension Of The Term Of U.S. Patent 4,224,946

Subsequent to an application filed November 25, 1985 for extension of the subject patent, and a notice published February 10, 1986 in the Federal Register Vol. 51, Number 27, pages 4995 to 4996, an error in the calculation of the length of the patent extension has come to the applicant's attorney's attention.

Referring to the extension application page 5, paragraph 11, subparagraphs (a) and (b), and the Federal Register notice page 4996, column 1 lines 4 to 11 from the bottom, the applicant's attorney admits that the correct period of the testing phase is 872 days and of the approval phase is 379 days. Referring to the extension application page 5 subparagraph (d), it is respectfully submitted that the correct calculation of the length of the extension is:

$$\frac{872}{2} + 379 = 815.$$

In this regard, please see 35 USC 156 (c) (2) and (g) (3) (B) (i), Extension Of Patent Term.

Based on the correct calculations above, it is respectfully requested that the term of 815 days be substituted for that requested in the extension application. It is also noted that the

extension of this patent may not exceed 2 years. Please see 35
USC 156 (g) (4) (C).

Respectfully submitted,

Charles F. Costello, Jr.

Charles F. Costello, Jr.
Attorney for Applicant
Registration No. 27,324

CFCjr:ci

1937 West Main Street
P. O. Box 60
Stamford, Connecticut 06904-0060
Tele.: (203) 348-7331, Ext. 2333